

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/961,241	09/25/2001	Toshitsugu Yamamoto	009683-387	5750
Platon N. Mandros BURNS, DOANE, SWECKER & MATHIS, L.L.P. P.O. Box 1404 Alexandria, VA 22313-1404			EXAMINER	
			GRANT II, JEROME	
			ART UNIT	PAPER NUMBER
			2626	
			DATE MAILED: 10/18/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

 -		Application No.	Applicant(s)			
Office Action Summary		09/961,241	YAMAMOTO, TOSHITSUGU			
		Examiner	Art Unit			
		Jerome Grant II	2626			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
WHIC - Exte after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DAIS nisons of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Poperiod for reply is specified above, the maximum statutory period we are to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 6(a). In no event, however, may a ill apply and will expire SIX (6) MON cause the application to become Af	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status						
1)🖾	Responsive to communication(s) filed on 28 Ju	ly 2005.				
2a)⊠	This action is FINAL . 2b) ☐ This action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims					
 4) ☐ Claim(s) 1-11 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-11 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or election requirement. 						
Applicati	on Papers					
	The specification is objected to by the Examiner	•				
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
	Applicant may not request that any objection to the o					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)	The oath or declaration is objected to by the Exa	aminer. Note the attached	d Office Action or form PTO-152.			
Priority u	ınder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment	(e)		JEROME GRANT II			
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
3) 🔲 Inform	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date		s)/Mail Date nformal Patent Application (PTO-152)			

Application/Control Number: 09/961,241

Art Unit: 2626

Detailed Action

1.

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 1-11 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. The subject matter not described in the specification is the distributing unit that calculates a value as claimed and recited in claims 1 and 9.

2.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the distributing unit must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet,

Art Unit: 2626

and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

See the content in the 112 rejection above alleged not supported in the specification and recited in claims 1 and 9.

3.

Examiner's Remarks

Applicant's remarks have been considered but are not persuasive to allow the claims nor overcome the 112 first paragraph rejection.

The examiner correctly stated that the specification did not describe a distributing unit that calculates a value as recited in claims 1 and 9.

Applicant refutes the examiner's claim by submitting that the distributing unit is illustrated in figure 1. However, applicant does not specifically state which of the elements in figure 1 constitutes the distributing unit. Applicant refers to the adding unit 207 which only has two input means. However, applicant argues that the unit 207 has three input means. The analysis of three inputs is erroneous. There are only two input means where the sources are provided from elements 203 and 117.

Applicant further confuses the distributing unit by stating that the output of the distributing unit comprises the output of the adding unit 207. Again, it is not clear what the unit is. Applicant's support is further incredible in that the threshold unit 103 is

Application/Control Number: 09/961,241

Art Unit: 2626

alleged to be an input to the distributing unit. Figure 1, fails to support this contention. The threshold circuit appears to have output connections to both the inversion circuit 113 and the negative terminal of buffer/amp 115. Again, it cannot be determined what applicant regards as the distributing unit, since output from 103 goes to three different circuits. Applicant still has not made the clear distinction of what constitutes the distributing circuit. Applicant states that the outputs of circuits 101, 103 and 109 feed into the distributing unit. In figure 1, there is not such circuit that possible supports applicants contention of a unit that receives all three of the outputs of 101, 103 and 109 together.

Hence the 112 first paragraph rejection of claims 1-11 is sustained.

Regarding the rejection of claims 1 and 5-9, the rejection is withdrawn in view of applicant's comments that the art and patent application are assigned to the same assignee.

4.

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Application/Control Number: 09/961,241 Page 5

Art Unit: 2626

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

5.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerome Grant II whose telephone number is 571-272-7463. The examiner can normally be reached on Mon.-Thurs. from 9:00 to 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kimberly A. Williams, can be reached on 571-272-7471. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JEROME GRANT II PHIMARY EXAMINER

J. Grant, J.